市道旭通線 数量内 訳書

1111	<u> </u>			昔	184			
工種	名 称	規格	久	件	数 当初	量計上	単位	備考
	名 称	規格	条	IT	<u></u> = 1/J	可上	半江	加州
排水構造物工								
	加速基本元份	ECONT. T.M.	300型		220 00	220		加速工制体事上的
	側溝蓋改修	ECOンt 工法	300室		339. 00	339	m	側溝工計算書より
146.26.47.14								
構造物撤去工								
	既設水路蓋撤去				13. 56	14	m3	撤去工計算書より
	殼運搬処分	鉄筋コンクリート	L=2.1km		13. 56	14	m3	撤去工計算書より
仮設工								
	交通誘導警備員	В			20. 0	20	人	
	人起防守首师兵				20.0	20		
			_					
		+	-					<del>                                     </del>
		+	+					
			<u> </u>					<u> </u>
		+	-					
			-					
		1	-					
			1					
		+	<del>                                     </del>					
				<u> </u>				
		+	<del>                                     </del>					

## 側溝工計算書

工種	名 称	規格	単位	数 量	摘要
排水工					
側溝蓋改修	ECOンビ工法	300型	m	339.00	25.0+104.3+43.4+64.4+42.1+59.8

## 撤去工計算書

工	<b></b>	夕	称	規格		数 量	. 71 🔟				摘		要
	14	1 1	,k1,	/ <u>/</u> / <sup>1</sup> / <sub>2</sub> TH	+14	<u> </u>					11년		<u> </u>
撤去工													
既設水路	蓋			既設コンクリート蓋(撤去・処分)	m3	13.56	339.00	×	0.40	(幅)	×	0.10	(厚さ)