

# 数量総括表 (1/1)

| 工 種      | 名 称        | 規格・条件                          | 計 算 式             | 単位 | 数量     | 計上  |
|----------|------------|--------------------------------|-------------------|----|--------|-----|
| (土工)     |            |                                |                   |    |        |     |
|          | 掘削         | 小規模                            |                   | m3 | 11.02  | 11  |
|          | 床堀         | 小規模                            |                   | m3 | 35.48  | 35  |
|          | 盛土         | 2.5m以上4.0未満                    |                   | m3 | 7.27   | 7   |
|          | 埋戻         | 小規模                            |                   | m3 | 30.10  | 30  |
|          | 残土運搬・処分    | 小規模、L=7.5km                    | 掘削+床堀-(盛土+埋戻)/0.9 | m3 | 4.98   | 5   |
| (擁壁工)    |            |                                |                   |    |        |     |
|          | プレキャストL型擁壁 | 耐震性L型擁壁H=800<br>基礎砕石あり、基礎Conあり | 21.50             | m  | 21.50  | 22  |
| (構造物撤去工) |            |                                |                   |    |        |     |
|          | 舗装版切断      | t=40mm                         | 6.3               | m  | 6.30   | 6   |
|          | 舗装切断汚泥運搬   | 3t車(0.5m3) L=200kmまで           |                   | 台  | 1.00   | 1   |
|          | カッター汚泥処分   |                                |                   | 式  | 1.00   | 1   |
|          | 舗装版破碎      | 直接積込                           |                   | m2 | 486.87 | 490 |
|          | 既設側溝取壊し    | 無筋Con、機械                       |                   | m3 | 3.87   | 4   |
| (運搬処理工)  |            |                                |                   |    |        |     |
|          | 殻運搬・処分     | As殻、小規模、L=3.7km                | 486.87*0.04       | m3 | 19.47  | 19  |
|          | 殻運搬・処分     | 無筋Con、機械、L=3.7km               |                   | m3 | 3.87   | 4   |
| (舗装工)    |            |                                |                   |    |        |     |
|          | 不陸整正       | 補足材無し                          |                   | m2 | 466.73 | 467 |
|          | 上層路盤(車道部)  | RM-30、 t=100mm                 |                   | m2 | 85.36  | 85  |
|          | 表層(車道部)    | 平均幅員3.0m超、t=40mm               |                   | m2 | 552.09 | 552 |
| (仮設工)    |            |                                |                   |    |        |     |
|          | 交通誘導警備員    | B                              |                   | 人  | 14.0   | 14  |
|          |            |                                |                   |    |        |     |
|          |            |                                |                   |    |        |     |
|          |            |                                |                   |    |        |     |

数量計算表

| 測 点    | 単 距 離<br>m | 掘削  |            |           | 盛土  |            |           | 床掘  |            |           | 埋戻  |            |           | 補足材  |            |           |
|--------|------------|-----|------------|-----------|-----|------------|-----------|-----|------------|-----------|-----|------------|-----------|------|------------|-----------|
|        |            | 断 面 | 平 均<br>断 面 | 体 積<br>m3 | 断 面 | 平 均<br>断 面 | 体 積<br>m3 | 断 面 | 平 均<br>断 面 | 体 積<br>m3 | 断 面 | 平 均<br>断 面 | 体 積<br>m3 | 断 面  | 平 均<br>断 面 | 体 積<br>m3 |
| P0.0   |            |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
| P20.0  | 20.00      |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
| (同断)   |            |     |            |           | 0.0 |            |           |     |            |           |     |            |           | 0.00 |            |           |
| P39.3  | 19.30      |     |            |           | 0.1 |            |           |     |            |           |     |            |           | 0.18 |            |           |
| (同断)   |            | 0.0 |            |           | 0.1 |            |           |     |            |           | 0.0 |            |           | 0.18 |            |           |
| 60.5   | 21.20      | 0.2 |            |           | 0.0 |            |           |     |            |           | 0.1 |            |           | 0.00 |            |           |
| (同断)   |            | 0.2 |            |           | 0.0 |            |           |     |            |           | 0.1 |            |           |      |            |           |
| P81.8  | 21.30      | 0.1 | 0.15       | 3.20      | 0.1 | 0.05       | 1.07      |     |            |           | 0.0 | 0.05       | 1.07      |      |            |           |
| (同断)   |            | 0.1 |            |           | 0.1 |            |           |     |            |           |     |            |           |      |            |           |
| P91.0  | 9.20       | 0.1 | 0.10       | 0.92      | 0.1 | 0.10       | 0.92      |     |            |           |     |            |           |      |            |           |
| (同断)   |            | 0.1 |            |           | 0.1 |            |           | 1.7 |            |           | 1.4 |            |           |      |            |           |
| P112.5 | 21.50      | 0.1 | 0.10       | 2.15      | 0.1 | 0.10       | 2.15      | 1.6 | 1.65       | 35.48     | 1.3 | 1.35       | 29.03     |      |            |           |
| (同断)   |            | 0.1 |            |           | 0.1 |            |           |     |            |           |     |            |           |      |            |           |
| P123.0 | 10.50      | 0.1 | 0.10       | 1.05      | 0.0 | 0.05       | 0.53      |     |            |           |     |            |           |      |            |           |
| (同断)   |            |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
| P143.0 | 20.00      |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
| (同断)   |            | 0.1 |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
| P154.0 | 11.00      | 0.1 | 0.10       | 1.10      |     |            |           |     |            |           |     |            |           |      |            |           |
| (同断)   |            | 0.1 |            |           | 0.1 |            |           |     |            |           |     |            |           |      |            |           |
| P164.0 | 10.00      | 0.1 | 0.10       | 1.00      | 0.1 | 0.10       | 1.00      |     |            |           |     |            |           |      |            |           |
| (同断)   |            | 0.1 |            |           | 0.1 |            |           |     |            |           |     |            |           |      |            |           |
| P180.0 | 16.00      | 0.1 | 0.10       | 1.60      | 0.1 | 0.10       | 1.60      |     |            |           |     |            |           |      |            |           |
| (同断)   |            | 0.1 |            |           | 0.1 |            |           | 2.0 |            |           | 1.8 |            |           |      |            |           |
| P200.0 | 20.00      | 0.1 |            |           | 0.1 |            |           | 2.0 |            |           | 1.7 |            |           |      |            |           |
| P220.0 | 20.00      | 0.1 |            |           | 0.1 |            |           | 1.9 |            |           | 1.6 |            |           |      |            |           |
| P234.2 | 14.20      | 0.1 |            |           | 0.1 |            |           | 2.0 |            |           | 1.7 |            |           |      |            |           |
| P236.2 | 2.00       | 0.1 |            |           | 0.1 |            |           | 1.9 |            |           | 1.7 |            |           |      |            |           |
| P258.2 | 22.00      | 0.1 |            |           | 0.1 |            |           | 1.9 |            |           | 1.7 |            |           |      |            |           |
| P260.0 | 1.80       | 0.1 |            |           | 0.1 |            |           | 1.8 |            |           | 1.6 |            |           |      |            |           |
| (同断)   |            | 0.1 |            |           | 0.1 |            |           |     |            |           |     |            |           |      |            |           |
| P280.0 | 20.00      | 0.0 |            |           | 0.0 |            |           |     |            |           |     |            |           |      |            |           |
|        |            |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
|        |            |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
|        |            |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
|        |            |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
|        |            |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
|        |            |     |            |           |     |            |           |     |            |           |     |            |           |      |            |           |
| 合 計    | 280.00     |     |            | 11.02     |     |            | 7.27      |     |            | 35.48     |     |            | 30.10     |      |            | 0.00      |

| 数量計算表  |            |        |            |           |  |      |  |      |  |      |  |      |  |
|--------|------------|--------|------------|-----------|--|------|--|------|--|------|--|------|--|
| 測 点    | 単 距 離<br>m | Con取壊し |            |           |  |      |  |      |  |      |  |      |  |
|        |            | 断 面    | 平 均<br>断 面 | 体 積<br>m3 |  |      |  |      |  |      |  |      |  |
| P0.0   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P20.0  | 20.00      |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P40.0  | 20.00      |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P60.5  | 21.50      |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P81.8  | 21.30      |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P91.0  | 9.20       |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            | 0.18   |            |           |  |      |  |      |  |      |  |      |  |
| P112.5 | 21.50      | 0.18   | 0.18       | 3.87      |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P123.0 | 10.50      |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P143.0 | 20.00      |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P154.0 | 11.00      |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P164.0 | 10.00      |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P180.0 | 16.00      |        |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            | 0.18   |            |           |  |      |  |      |  |      |  |      |  |
| P200.0 | 20.00      | 0.18   |            |           |  |      |  |      |  |      |  |      |  |
| P220.0 | 20.00      | 0.18   |            |           |  |      |  |      |  |      |  |      |  |
| P234.2 | 14.20      | 0.18   |            |           |  |      |  |      |  |      |  |      |  |
| P236.2 | 2.00       | 0.18   |            |           |  |      |  |      |  |      |  |      |  |
| P258.2 | 22.00      | 0.18   |            |           |  |      |  |      |  |      |  |      |  |
| P260.0 | 1.80       | 0.18   |            |           |  |      |  |      |  |      |  |      |  |
| (同断)   |            |        |            |           |  |      |  |      |  |      |  |      |  |
| P280.0 | 20.00      |        |            |           |  |      |  |      |  |      |  |      |  |
|        |            |        |            |           |  |      |  |      |  |      |  |      |  |
|        |            |        |            |           |  |      |  |      |  |      |  |      |  |
|        |            |        |            |           |  |      |  |      |  |      |  |      |  |
|        |            |        |            |           |  |      |  |      |  |      |  |      |  |
|        |            |        |            |           |  |      |  |      |  |      |  |      |  |
| 合 計    | 281.00     |        |            | 3.87      |  | 0.00 |  | 0.00 |  | 0.00 |  | 0.00 |  |

# 数量計算表

As剥ぎ取り(t=40mm)

| 測点     | 距離     | 幅員   | 平均   | 面積     | 備考 |
|--------|--------|------|------|--------|----|
| P0.0   |        | 6.30 |      |        |    |
| P20.0  | 20.00  | 6.30 | 6.30 | 126.00 |    |
| (同断)   |        | 4.80 |      |        |    |
| P39.3  | 19.30  | 4.80 |      |        |    |
| (同断)   |        | 2.80 |      |        |    |
| P60.5  | 21.20  | 2.90 |      |        |    |
| P81.8  | 21.30  | 2.90 | 2.90 | 61.77  |    |
| P91.0  | 9.20   | 3.30 | 3.10 | 28.52  |    |
| (同断)   |        | 2.80 |      |        |    |
| P112.5 | 21.50  | 2.70 | 2.75 | 59.13  |    |
| (同断)   |        | 3.10 |      |        |    |
| P123.0 | 10.50  | 3.30 | 3.20 | 33.60  |    |
| (同断)   |        | 3.60 |      |        |    |
| P143.0 | 20.00  | 3.60 | 3.60 | 72.00  |    |
| (同断)   |        | 3.30 |      |        |    |
| P154.0 | 11.00  | 3.00 | 3.15 | 34.65  |    |
| (同断)   |        | 2.60 |      |        |    |
| P164.0 | 10.00  | 3.00 | 2.80 | 28.00  |    |
| P180.0 | 16.00  | 2.40 | 2.70 | 43.20  |    |
| P200.0 | 20.00  | 2.25 |      |        |    |
| P220.0 | 20.00  | 2.25 |      |        |    |
| P240.0 | 20.00  | 2.25 |      |        |    |
| P260.0 | 20.00  | 2.25 |      |        |    |
| (同断)   |        | 2.50 |      |        |    |
| P268.0 | 8.00   | 2.50 |      |        |    |
| (同断)   |        | 3.65 |      |        |    |
| P274.0 | 6.00   | 3.65 |      |        |    |
| P280.0 | 6.00   | 3.65 |      |        |    |
| 合計     | 280.00 |      |      | 486.87 |    |

## 数量計算表

不陸整正

| 測点     | 距離     | 幅員   | 平均   | 面積     | 備考    |
|--------|--------|------|------|--------|-------|
| P0.0   |        | 6.30 |      |        | 補足材なし |
| P20.0  | 20.00  | 6.30 | 6.30 | 126.00 | 〃     |
| (同断)   |        | 4.80 |      |        | 〃     |
| P39.3  | 19.30  | 4.80 |      |        | 補足材あり |
| (同断)   |        | 3.60 |      |        | 〃     |
| P60.5  | 21.20  | 2.90 |      |        | 〃     |
| P81.8  | 21.30  | 2.90 | 2.90 | 61.77  | 補足材なし |
| P91.0  | 9.20   | 3.30 | 3.10 | 28.52  | 〃     |
| (同断)   |        | 1.69 |      |        | 〃     |
| P112.5 | 21.50  | 1.49 | 1.59 | 34.19  | 〃     |
| (同断)   |        | 3.10 |      |        | 〃     |
| P123.0 | 10.50  | 3.30 | 3.20 | 33.60  | 〃     |
| (同断)   |        | 3.60 |      |        | 〃     |
| P143.0 | 20.00  | 3.60 | 3.60 | 72.00  | 〃     |
| (同断)   |        | 3.30 |      |        | 〃     |
| P154.0 | 11.00  | 3.00 | 3.15 | 34.65  | 〃     |
| (同断)   |        | 2.60 |      |        | 〃     |
| P164.0 | 10.00  | 3.00 | 2.80 | 28.00  | 〃     |
| (同断)   |        | 3.00 |      |        | 〃     |
| P180.0 | 16.00  | 3.00 | 3.00 | 48.00  | 〃     |
| (同断)   |        | 1.21 |      |        | 〃     |
| P200.0 | 20.00  | 1.05 |      |        | 〃     |
| P220.0 | 20.00  | 1.05 |      |        | 〃     |
| P234.2 | 14.20  | 1.05 |      |        | 〃     |
| P236.2 | 2.00   | 1.05 |      |        | 〃     |
| P240.0 | 3.80   | 1.05 |      |        | 〃     |
| P258.2 | 18.20  | 1.05 |      |        | 〃     |
| P260.0 | 1.80   | 1.05 |      |        | 〃     |
| (同断)   |        | 2.50 |      |        | 〃     |
| P268.0 | 8.00   | 3.25 |      |        | 〃     |
| (同断)   |        | 3.65 |      |        | 〃     |
| P280.0 | 12.00  | 3.65 |      |        | 〃     |
| 合計     | 280.00 |      |      | 466.73 |       |
| 補足材なし  |        |      |      | 466.73 |       |

P0.0～20.0 表層工(t=40m) A= 126.00  
P60.5～180.0 表層工(t=40m) A= 426.09

上層路盤(t=100mm)

| 測点     | 距離     | 幅員   | 平均   | 面積    | 備考          |
|--------|--------|------|------|-------|-------------|
| P0.0   |        | 0.00 |      |       |             |
| P20.0  | 20.00  | 0.00 |      |       |             |
| (同断)   |        | 0.00 |      |       |             |
| P39.3  | 19.30  | 0.00 |      |       |             |
| (同断)   |        | 0.00 |      |       |             |
| P60.5  | 21.20  | 0.70 |      |       |             |
| P81.8  | 21.30  | 0.70 | 0.70 | 14.91 |             |
| P91.0  | 9.20   | 0.30 | 0.50 | 4.60  |             |
| (同断)   |        | 1.83 |      |       | W=1.53+0.30 |
| P112.5 | 21.50  | 2.03 | 1.93 | 41.50 | W=1.53+0.50 |
| (同断)   |        | 0.50 |      |       |             |
| P123.0 | 10.50  | 0.30 | 0.40 | 4.20  |             |
| (同断)   |        | 0.00 |      |       |             |
| P143.0 | 20.00  | 0.00 | 0.00 | 0.00  |             |
| (同断)   |        | 0.30 |      |       |             |
| P154.0 | 11.00  | 0.60 | 0.45 | 4.95  |             |
| (同断)   |        | 1.00 |      |       | W=0.40+0.60 |
| P164.0 | 10.00  | 0.60 | 0.80 | 8.00  | W=0.30+0.30 |
| (同断)   |        | 0.30 |      |       |             |
| P180.0 | 16.00  | 0.60 | 0.45 | 7.20  |             |
| (同断)   |        | 2.31 |      |       |             |
| P200.0 | 20.00  | 2.47 |      |       |             |
| P220.0 | 20.00  | 2.47 |      |       |             |
| P234.2 | 14.20  | 2.47 |      |       |             |
| P236.2 | 2.00   | 1.97 |      |       |             |
| P240.0 | 3.80   | 1.97 |      |       |             |
| P258.2 | 18.20  | 1.97 |      |       |             |
| P260.0 | 1.80   | 2.47 |      |       |             |
| (同断)   |        | 0.75 |      |       |             |
| P268.0 | 8.00   | 0.00 |      |       |             |
| (同断)   |        | 0.00 |      |       |             |
| P280.0 | 12.00  | 0.00 |      |       |             |
| 合計     | 280.00 |      |      | 85.36 |             |

不陸整正(補足材なし) A= 466.73 m2  
上層路盤(t=100mm) A= 85.36 m2  
表層工(t=40m) A= 552.09 m2